

## **EEC TYPE APPROVAL CERTIFICATE**

# With regard to Coupling Devices for Motor Vehicles

Concerning the type-approval of a type of a component with regard to Directive 94/20/EC.

EC Type Approval No:	<u>e24*94/20*0144*00</u>
Reason for extension:	N/A.

SECTION I			
0.1	Make (trade name of manufacturer):	SIARR or Westfalia Automotive GmbH or Monoflex Nordic AB	
0.2	Type and general commercial description:	SI096 Non-standard coupling balls 50	
0.3	Means of identification of type, if marked on the component:	Make, Class, Type.	
	0.3.1 Location of that marking:	Manufacturer's plate on socket plate.	
0.5	Name and address of manufacturer:	S.I.A.R.R. SAS, 76810 Luneray, France.	
0.7	In the case of components and separate technical units, location and method of affixing of the EEC approval mark:	Manufacturer's plate on socket plate. Riveted.	
0.8	Name(s) and address(es) of assembly plants:	S.I.A.R.R. SAS, 76810 Luneray, France.	
		Westfalia Automotive GmbH, 33378 Rheda-Wiedenbrück, Germany.	
		Monoflex Nordic AB, 73432 Hallstahammar,	

Sweden.

EC Type Approval No: <u>e24\*94/20\*0144\*00</u>

### SECTION II

1. Additional information (where applicable): See Appendix 1.

2. Technical service responsible for carrying out the tests: TÜV SÜD AUTOMOTIVE GmbH,

Daimlerstraße 11, D-85748 Garching,

Germany.

3. Date of test report: *08.01.2009* 

4. Number of test report: **09-00011-CX-GBM.** 

5. Remarks (if any): See Appendix 1.

6. Place: Dublin.

7. Date: 13<sup>th</sup> January 2009

TRANSPORT

9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request is attached.

10. Documentation: 30 Pages.

8.

### Appendix 1

#### to EC Type Approval Certificate No.: e24\*94/20\*0144\*00

Concerning the component type approval of mechanical coupling devices with regard to Directive 94/20/EC.

- 1. Additional information
- 1.1. Class of the type of coupling:

A50-X; SI096

1.2. Categories or types of vehicles for which the device is designed or restricted:

M, N. See technical report 09-00011-CX-GBM and accompanying documentation.

- 1.3. Maximum D-value: 10.4 kN.
- 1.4. Maximum vertical load S at the coupling point: 75 kg.
- 1.5 Maximum load U at the fifth wheel coupling point:
- 1.6 Maximum V-value: N/A.
- 1.7 Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles:

See manufacturer's documentation.

1.8 Information on the fitting of special towing brackets or mounting plates:

See manufacturer's documentation.

5. Remarks: N/A.