

THE NETHERLANDS (NEDERLAND)



EC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval-(1)

- extension of type-approval (1)

- refusal of type-approval (1)

- withdrawal of type approval (1)

of a type of a component with regard to Directive 94/20/EC.

Type-approval number (2)

: e4*94/20*3076*01

Reason for extension

: The centre plates are moved to 30mm instead of

60mm from each other.

The Manufacturer has a different address.

Approval mark

: See example of type plate

SECTION I

: Monoflex 0.1. Make (trade name of manufacturer)

0.2. Type and general commercial

description(s)

: 10.0543

Commercial description: 10.0602

Means of identification of type if 0.3.

marked on the component (3)

: Type approval number

: On type plate 0.3.1. Location of that marking

Name and address of manufacturer 0.5.

: Monoflex ApS Industrivej 60

DK 5672 Broby, Denmark

Monoflex Nordic AB Nibblegatan 21, Box 15

735 21 Hallstahammar, Sweden



Type-approval number: e4*94/20*3076*01

O7. In the case of components and separate technical units, location and method of

affixing of the EEC approval mark

: On type plate

0.8. Name(s) and address(es) of assembly

plant(s)

: See information document

(annex III, item 0.8)

SECTION II

1. Additional information (where

applicable)

: see Appendix I

2. Technical service responsible for

carrying out the tests

: RDW

Test Centre Lelystad

Talingweg 76 8218 NX Lelystad

3. Date of test report

: 15-02-2006 01-04-2010

4. Number of test report

: RDW-94/20-3763 RDW-94/20-6355

5. Remarks (if any)

: see Appendix I

6. Place

: Zoetermeer

7. Date

: 01-04-2010

8. Signature

D.G. Burger

RDW

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached:
 - Application form relating to Annex III and annexed drawings.
 - Drawings and instructions for attachment.
 - Fitting instructions.

(1) Delete where not applicable.

⁽²⁾ The EEC type-approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.

⁽³⁾ In the means of identification of type contains characters not relevant to describe the component types covered by this type-approval certificate such characters shall be represented in the documentation by the symbol "?" (e.g. ABC??123).

APPENDIX I

to EEC type-approval certificate number: e4*94/20*3076*01

concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC.

1 _w	Additional information				
1.1,	Class of the type of coupling	: F			
1.2.	Categories or types of vehicles for which the device is designed or restricted	: See	e fitting	instructions	
1.3.	Maximum D-value (1)	: 9,5	9	kN	
1.4.	Maximum vertical load S at the coupling point (1)	: 75		kg	
1.5.	Maximum load U at the fifth wheel coupling point (1)	:		tonnes	
1.6.	Maximum V-value (1)	:		kN	
1.7.	Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles		e fitting	; instructions	
1.8.	Information on the fitting of special towing brackets or mounting plates (1)	: See	e fitting	; instructions	

(1) Delete where not applicable.

Remarks (2)

5.



: The installation of the coupling device on the vehicle must be checked according to the requirements given in Annex VII (see Annex I

Paragraph 5.10.)

⁽²⁾ Including information as to whether fifth wheel couplings are unsuitable for positive steering.