

**RDW** 



## THE NETHERLANDS (N E D E R L A N D)





## **COMMUNICATION**

# Concerning (1):

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitely discontinued

of a type of mechanical coupling device or component pursuant to Regulation number 55.

Approval number: E4-55R-010877 Extension number: 00

Approval mark: See example of type plate.

1. Trade name or mark of the device or

> : Monoflex component

2. Manufacturer's name for the type of

> : 345111600001 device or component

3. Manufacturer's name and address : Monoflex Nordic AB

Nibblegatan 21, Box 14

734 21 Hallstahammar Sweden

4. If applicable, name and address of the

> manufacturer's representative : Not applicable

5. Alternative supplier's name or trade marks applied to the device or

component

6. Name and address of company or body taking responsibility for the conformity

> of production : See section 3.

7. Submitted for approval on : 09-01-2016



P.O. Box 777 2700 AT Zoetermeer The Netherlands

Tel. + 31 (0)79 345 83 02 E-mail ttv@rdw.nl www.rdw.nl

Vehicle Admission & Surveillance

Approval number: E4-55R-010877

Extension number: 00

Technical service responsible for 8.

> conducting approval tests P.O. Box 777

2700 AT Zoetermeer, The Netherlands.

9. Brief description

9.1. Type and class of device or component: Towing bracket, F

9.2. Characteristic values

#### 9.2.1. Primary values:

D	U	$D_{c}$	V	S
(kN)	(tonnes)	(kN)	(kN)	(kg)
8,53	-	-	-	75

: RDW

### Alternative values:

D	U	$D_{c}$	V	S
(kN)	(tonnes)	(kN)	(kN)	(kg)
-	-	-	-	-

9.3. For class A mechanical coupling devices or components, including towing brackets:

Vehicle manufacturer's maximum

permissible vehicle mass : 1940 kg

Distribution of maximum permissible

vehicle mass between the axles : Front axle 970 kg, Rear axle 970 kg

Vehicle manufacturer's maximum

permissible towable trailer mass : 1500 kg

Vehicle manufacturer's maximum

permissible static mass on coupling ball: 75 kg

Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including

driver : 1413 kg

Loading condition under which the tow ball height of a mechanical coupling device fitted to category M1 vehicles is to be measured – see paragraph 2 of annex 7, appendix 1

: Mass according to Annex 7 - Appendix 1, section

9.4. For class B coupling heads, is the coupling head intended to be fitted to

an unbraked trailer

: Yes / no / not applicable (1)



Approval number: E4-55R-010877

**Extension number: 00** 

10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points given by the vehicle manufacturer

: See documentation.

11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component

: See fitting instructions.

12. Additional information where the use of the coupling device or component is restricted to special types of vehicles – see annex 5, paragraph 3.4.:

: See fitting instructions.

13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type

: Not applicable

14. Date of test report : 02-11-2016

15. Number of test report : RDW-55R-0041962

16. Approval mark position : On type plate

17. Reason(s) for extension of approval : Not applicable

18. Approval : granted/extended/refused/withdrawn (1)

19. Place : Zoetermeer

20. Date : 02-11-2016

21. Signature :

A. Nijland

22. The list of documents deposited with the Administration Service which has granted the approval:

Instructions for fitting and/or use : 13 page(s)
Technical drawings of the coupling device : 8 page(s)
Example of type plate. : 1 page(s)
Fixing points drawing made by the vehicle manufacturer : 3 page(s) +

Total: 25 page(s)

Remark(s):



<sup>(1)</sup> Strike out what does not apply.